

## IKOfix Aluminium Clamping Strip

### Product Details

Description	Upstand Termination Restraint
Material	Aluminium
Length	2500mm
Depth	50mm
Thickness	2mm
Hole Diameter	5mm
Product Number	05493081



## Introduction

- Used for securing the Armourplan or Spectraplan membrane at the top of an adhered upstand.
- Designed to clamp the membrane into.
- Allows for a bead of sealant to be applied to the upper edge to maintain a watertight termination against the substrate.

### Features & Benefits

- Cold Application
- Quick and easy installation
- Cost effective application

## Installation

1. Position the Aluminium Clamping Strip at the top of the completed adhered upstand.
2. Using suitable IKOfix fasteners secure into position at 250mm centres.
3. Allow a 5mm gap between lengths of clamping strip.
4. Apply the appropriate IKO Polymeric sealant. Bond and Seal sealant for the Spectraplan system or Armourplan PVC Sealant for the Armourplan system.



## Technical Specification

Material	Aluminium
Length	2500mm
Gauge	2mm
Gauge Tolerance	±0.07mm
Length Tolerance	±3.0mm
General Tolerance	±0.4mm



## Storage

IKOfix Aluminium Clamping Strips should be kept dry. They should be stored raised off the surface of the roof and covered with a suitable waterproof layer.

## Further Product Information

Full product literature, health & safety and technical sheets are available as downloads from our website: [www.ikopolymeric.com](http://www.ikopolymeric.com) or on request by email: [polymeric.marketing@iko.com](mailto:polymeric.marketing@iko.com)



Whilst every care is taken to see that the information given in this literature is correct and up to date it is not intended to form part of any contract or give rise to any collateral liability, which is hereby specifically excluded. Intending purchasers of our materials should therefore verify with the company whether any changes in our specification or application details or otherwise have taken place since this literature was issued.

Company Registered in England No. 2678296 – Registered Office: Appley Lane North, Appley Bridge, Wigan, Lancashire, WN6 9AB

### IKO Polymeric

Coney Green Road, Clay Cross  
Chesterfield  
S45 9HZ`

T: 01257 488000

E: [polymeric.technical.uk@iko.com](mailto:polymeric.technical.uk@iko.com)

W: [www.ikopolymeric.com](http://www.ikopolymeric.com)